INSTRUCTIONS



6.4 Hemi Phaser Limiter Kit #5761

Thank you for choosing COMP Cams® products; we are proud to be your manufacturer of choice. Please read this instruction sheet carefully before beginning installation, and also take a moment to review the included limited warranty information. Contact us toll free at 1.800.999.0853 or at www.compcams.com under Tech Support with any questions.

You will start with COMP Cams® part # 5761 kit. This includes one limiter, tool, and screw. There are two bolts where some of the threads have been partly turned down as pins. The tool slips over one pin/bolt and is used to relieve the spring tension. The other one must remain in the phaser during the limiter installation.

Tools Required: T-25 Torx bit, 3/16" Allen, torque wrench, and blue Loctite.



COMP Cams® 3406 Democrat Rd. Memphis, TN 38118 Phone: 901.795.2400


Instructions:

1. Place the tool over the visible pin. Run the adjusting screw down until it just touches the outside face of the trigger wheel. Tighten the screw one turn. This takes the spring pressure off the pin.



2. Turn the phaser over and loosen the circled bolt/pin that's opposite of the dowel pin slot, (in the picture below) one turn. Proceed to remove the remaining 4 bolts.


CAUTION! 1. DO NOT REMOVE THIS BOLT, SPRING WILL UNWIND! 2. DO NOT REMOVE TOOL UNLESS ALL BOLTS ARE INSTALLED



COMP Cams® 3406 Democrat Rd. Memphis, TN 38118 Phone: 901.795.2400

3. Rotate the plate to view the internals of the phaser.

Insert limiter here with the cutout facing the center of phaser.



Remember the bolt/pin goes in the hole the tool is over.

4. Rotate the plate back around. Apply blue Loctite to each bolt before installation. Torque the bolts to 14 ft./lbs., remove the tool and the phaser is ready for installation.



COMP Cams®
3406 Democrat Rd.
Memphis, TN 38118
www.compcams.com
Phone: 901.795.2400

Social Media

Stay up-to-date with the latest COMP Cams® and COMP Performance GroupTM company and product information by following us on any of our social media platforms.



cpgnation.com



Limited Warranty

Competition Cams, Inc. warrants that all of its products are free from defects in material and workmanship, and against excessive wear for a period of (1) one year from the date of purchase. This **limited warranty** shall cover the original purchaser.

Competition Cams, Inc.'s obligation under this warranty is limited to the repair or replacement of its product. To make a warranty claim, the part must be returned within (1) one year of purchase to the address listed below, freight prepaid. Items covered under warranty will be returned to you freight collect.

It is the responsibility of the installer to ensure that all of the components are correct before installation. We assume no liability for any errors made in tolerances, component selection, or installation.

There is absolutely no warranty on the following:

A) Any parts used in racing applications;

Toll Free: 1.800.999.0853

www.compcams.com

- B) Any product that has been physically altered, improperly installed or maintained;
- C) Any product used in improper applications, abused, or not used in conjunction with the proper parts.

There are no implied warranties of merchantability or fitness for a particular purpose. There are no warranties, which extend beyond the description of the face hereof. Competition Cams, Inc. will not be responsible for incidental and consequential damages, property damage or personal injury damages to the extent permitted by law. Where required by law, implied warranties or merchantability and fitness are limited for a term of (1) one year from the date of original purchase.

This warranty gives you specific legal rights and you may also have other legal rights, which vary from state to state.